


La **referencia** en
información técnica
y exhaustiva **para**
el taller.



WorkshopData™ Tech

HaynesPro Tech es un **intuitivo y sencillo sistema** perfeccionado a lo largo de años de desarrollo. Con toda la información de reparación imprescindible para el mecánico.

Además de la **calidad, la precisión, la utilidad** y la **relevancia** de los datos, su **presentación** solo reporta ventajas para el usuario.




Datos de identificación

DATOS DE IDENTIFICACIÓN

Buscar un vehículo nunca fue tan fácil.

Localizar los códigos de identificación es el método recomendado para definir un vehículo. HaynesPro Tech incluye varias opciones de búsqueda, entre ellas, el código de motor, la homologación europea y el NIV. Dependiendo del país, también puede incluir un buscador de matrículas.

CARACTERÍSTICAS	Car SET	Truck SET
NIV y localización de la placa de identificación	✓	✓
Decodificador NIV	✓	✓
Códigos de equipamiento	✓	




Mantenimiento

MANTENIMIENTO

Claras, exhaustivas y, sobre todo, útiles.

El servicio necesario se selecciona en un momento y en una sola vista general que contiene los intervalos de servicio OEM.

Con los intervalos de elemento de servicio se accede rápidamente a la información de mantenimiento (tiempo y distancia) de un componente concreto.



Continúa en la página siguiente.

Viene de la página anterior.

CarsTrucksOrganiserSettings

HaynesProWorkshopData™

44 J/44 Allroad (BQ) 2.0 TDi (CAHA) 2008 - 2012

Estimate 6.00

Back to overviewMaintenance SchedulePrint

Every 300,000 km/240 months (OE 01 03 00 12)...

STANDARD TIME1.60EXTRA TIME2.00TOTAL TIME (H)3.60

Parts required4

Hide

Show mandatory parts onlyShow all spare parts

Unit Price (GBP)Quantity

Engine oil8.906X

Oil filter6.201.00X

Timing belt1.00X

Timing belt set128.401.00X

Additional work8

Hide

OE 26 34 19 50Renew the fuel filter: every 60,000 km+ 0.40+

OE 23 24 19 60Renew the air filter: every 90,000 km+ 0.20+

OE 15 24 19 60Renew the timing belt(s): every 180,000 km: Timing belt renewal intervals may be subject to updates and may differ regionally+ 2.00X

OE 26 74 03 50Diesel particulate filter: check the saturation with a diagnostic tool: first check at 190,000 km; then every 30,000 km+ 0.10+

OE 26 88 23 50Selective catalytic reduction (SCR): check the fluid level; top up if necessary: every 18,000 km+ 0.10+

OE 37 02 55 50CVT: renew the fluid: every 60,000 km+ 0.50+

OE 01 40 00 50Braking system: renew the brake fluid: first change at 36 months; then every 24 months+ 0.50+

OE 85 10 19 50Renew the dust and pollen filter: every 30,000 km/24 months+ 0.10+

Parts may be requiredRepair ManualsTechnical Drawings

Engine

Check the brake fluid level; top up if necessary: *Go to Lubricants page

Check the brake pad thickness: *Go to Adjustment Data page

Check the brake lines, hoses and connections for leaks and damage: *

Suspension, wheels and tyres

Check the tread depth and wear pattern on all the tyres, including the spare: FOLLOW UPRenew four tyres+ 1.20

Check the tyre pressures; adjust if necessary: Go to Adjustment Data page

Reset the tyre pressure monitoring system: *Tyre pressure monitoring system

Check the tyre sealant can expiry date

Ball joints: check the condition (check for play)

Electrical System

Check the battery megohm eye: *

Check the battery charge, using an appropriate battery tester: *FOLLOW UPCheck the battery fluid level; top up if required+ 0.10

FOLLOW UPCharge the battery+ 0.10

FOLLOW UPRenew the battery+ 0.90

Los esquemas de mantenimiento completos están disponibles para marca, modelo y derivado, aparecen por intervalos y se desglosan por temas (motor, frenos, etc.) o ubicación (compartimento del motor, bajo el vehículo, etc.). Para mayor comodidad, los esquemas también pueden imprimirse.

El trabajo adicional también se visualiza de acuerdo con las recomendaciones OEM. A cada tarea le corresponde un código OEM y un tiempo. Asimismo, el tiempo total se indica en la parte superior e inferior de la página.

Una característica única es la disponibilidad de tareas de seguimiento lógico que aportan facilidad a la hora de cumplimentar la hoja de trabajo.

CARACTERÍSTICAS	Car SET	Truck SET
Esquemas de mantenimiento (basados en OEM)	✓	✓
Hojas de trabajo que se pueden imprimir	✓	✓
Enlaces inteligentes a datos de ajuste	✓	✓
Enlaces a componentes	✓	✓
Tareas de seguimiento	✓	
Tareas adicionales	✓	✓
Tiempos de servicio	✓	✓
Manuales de reinicialización de indicadores de servicio	✓	✓
Intervalos de renovación de la correa de distribución	✓	
Procedimientos del sistema de control de presión de neumáticos	✓	✓

Continúa en la página siguiente.



Viene de la página anterior.

ENLACES «INTELIGENTES»

Allí donde los necesite, siempre encontrará enlaces para acceder a planos técnicos con anotaciones y detalles de los componentes o valores de ajuste, además de enlaces a subsecciones relacionadas con otros aspectos de la tarea.

En las instrucciones se describe cómo desconectar y reconectar baterías o cómo reinicializar indicadores de servicio y sistemas de control de presión de neumáticos.

Enlaces «inteligentes» para acceder a temas principales:



DATOS DE AJUSTE



LUBRICANTES Y FLUIDOS



MANUALES DE REPARACIÓN



TIEMPOS DE REPARACIÓN



PLANOS TÉCNICOS

Enlaces «inteligentes» para acceder a otras características y temas:

- Informe sobre la carrocería y la pintura
- Informe de inspección de vehículo
- Informe de inspección de neumáticos

Check the steering assembly for damage, wear and leaks *				☒	
Check the power steering fluid level; top up if necessary				☒	
Brakes					
Check the brake fluid level; top up if necessary *				☒	
Go to Lubricants page				🔗	
Check the brake pad thickness *				☒	
Go to Adjustment Data page				🔗	
Check the brake lines, hoses and connections for leaks and damage *				☒	
Suspension, wheels and tyres					
Check the tread depth and wear pattern on all the tyres, including the spare				☒	
FOLLOW UP Renew four tyres			☐ + 1.20	☒	
Check the tyre pressures; adjust if necessary				☒	
Go to Adjustment Data page				🔗	
Reset the tyre pressure monitoring system *				☒	
Tyre pressure monitoring system				🔗	
Check the tyre sealant can expiry date				☒	
Ball joints: check the condition (check for play)				☒	
Electrical System					
Check the battery magic eye *				☒	
Check the battery charge, using an appropriate battery tester *				☒	
FOLLOW UP Check the battery fluid level; top up if required			☐ + 0.10	☒	
FOLLOW UP Charge the battery			☐ + 0.10	☒	
FOLLOW UP Renew the battery			☐ + 0.90	☒	
Check the function of the exterior lights *				☒	
Check the headlight alignment; adjust if necessary				☒	
Check the lighting system and horn functions *				☒	
Check the luggage compartment light(s) *				☒	
Check the function of the interior warning lights				☒	
Check the operation of the multimedia system *				☒	
Reset the service indicator				☒	
Service indicator reset				🔗	
Exterior					
Check the windscreen wipers and washing system *				☒	
Windscreen wipers: service position				🔗	
Check the windscreen wiper park position *				☒	
Check the headlight washing system				☒	
Check/lubricate the bonnet hinges and safety catch *				☒	
Check the entire underside of the vehicle for leaks, corrosion and damage *				☒	
Check all the exterior paintwork for corrosion and damage *				☒	
Check the body for corrosion and damage				☒	
Go to Body and Paint Report page				🔗	
General					
Test drive				☒	
TOTAL TIME (H)	3.60	EXTRA TIME	2.00	STANDARD TIME	1.60
				Add to Cost Estimate	

HaynesPro®

All HaynesPro names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners.

Version: 7.2.1-RC23



A member of the Haynes Publishing Group

Datos de reparación

HaynesPro WorkshopData™

A4 (A4 Allroad (BQ) 2.0 TDI (CAHA) 2008 - 2012)

Adjustment Data

Engine (general)

Engine (specifications)

Emissions

Cooling system

Electrical

Basic data

(JHL)

(JDL)

(JHL)

(JHN)

(JBR)

(JBL)

(JHL)

(JBP)

(JLC)

Brakes

Basic data

Bombas, Front disc brakes, (1LM)

Bombas, Front disc brakes, (1LW)

Front disc brakes, (FND)

Front disc brakes, (FBC)

Rear disc brakes, (CII 43)

Steering and wheel alignment

Emissions

Basic data

Basic data

Steering

Basic data

(Manual transmission), (BB2)

(Manual transmission), (BB1)

Rear differential, (BSC), (4WD)

(- 03/2012)

(04/2012 - 10/2013)

Refrigerant

(Refer to the sticker under the bonnet)

Denso, (RSEU14), (- 03/2012)

Air-conditioning compressor oil

150 ± 10

(mm)

Go to Lubricants page

Denso, (RSEU17), (- 03/2012)

Air-conditioning compressor oil

150 ± 10

(mm)

Go to Lubricants page

Denso, (RSEU14), (- 03/2012)

Denso, (RSEU17), (- 03/2012)

Denso, (RSEU14), (04/2012 -)

Denso, (RSEU17), (04/2012 -)

Torque settings

Engine

(Manual transmission), (BB2)

(Manual transmission), (BB1)

Rear differential, (BSC), (4WD)

Basic data

Basic data

Steering

Basic data

(Manual transmission), (BB2)

(Manual transmission), (BB1)

Rear differential, (BSC), (4WD)

(- 03/2012)

(04/2012 - 10/2013)

Denso, (RSEU14), (- 03/2012)

Denso, (RSEU17), (- 03/2012)

Denso, (RSEU14), (04/2012 -)



Denso, (RSEU17), (04/2012 -)

Renew the bolts

Stage 1

40

(Nm)

DATOS DE AJUSTE

Decir que la cobertura es **exhaustiva** es quedarse corto.

El término «exhaustiva» apenas llega a describir el alcance de la información contenida en esta sección de Tech. Las especificaciones proporcionadas van desde los pares de apriete al orden de encendido del cilindro, desde la velocidad de ralentí a las emisiones de NOx, y desde la presión del tapón del sistema de refrigeración al grosor del disco de freno trasero.

CARACTERÍSTICAS	Car SET	Truck SET
Correa de transmisión auxiliar	✓	
Alineación de ruedas	✓	✓
Datos de emisiones	✓	✓
Tamaños de neumático y presiones	✓	
Pares de apriete	✓	✓
Conectores de mantenimiento del aire acondicionado	✓	
Capacidades	✓	✓
Límites de desgaste		✓



LUBRICANTES Y FLUIDOS

Todas las especificaciones de aceites y fluidos, juntas en una sola vista

Se proporcionan todas las especificaciones imaginables, conectadas de forma cómoda con los datos relacionados para facilitar su uso, e incorporando ilustraciones técnicas que muestran la ubicación de los tapones de llenado y drenaje.

CARACTERÍSTICAS	Car SET	Truck SET
Calidades y viscosidades	✓	✓
Capacidades y pares de apriete	✓	✓
Ubicación de los tapones de llenado y drenaje	✓	✓

HaynesPro WorkshopData™

Estimate 000 0.00

Back to overview Lubricants and Fluids Print

Engine

Engine oil SAE 5W-30 VW 507 00 All temperatures

- Engine sump, including filter 5.0 (l)
- Engine oil drain plug 30 (Nm)

Cooling system

Coolant (Water with 40% anti-freeze) TL-VW 774G (G12++) Above -25 °C

Coolant (Water with 50% anti-freeze) TL-VW 774G (G12++) Above -35 °C

Coolant (Water with 60% anti-freeze) TL-VW 774G (G12++) Above -40 °C

- Cooling system 8.0 (l)

Basic data

Brake fluid VW 501 14

- Brake system 1.0 (l)

(Manual transmission), (0B2)

Gear oil VW G 055 532 A2

- Manual transmission
- Gearbox refill 4.8 (l)
- Plug location (Filter/level plug)

(Manual transmission), (0B2)

Steering

Power steering fluid VW G 004 000

(- 03/2012)

Refrigerant R134a

Denso, (6SES14), (03/2012 -)

Compressor oil VW G 052 300 A2

- Air-conditioning compressor oil 110 ± 10 (ml)

HaynesPro

All trademarks names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners.

Version: 7.4.3-RC3

© 2019 Haynes Publishing Group



MANUALES DE REPARACIÓN

Instrucciones de servicio y reparación en detalle y paso a paso

Tech incorpora instrucciones de servicio y reparación detalladas y paso a paso que son de gran utilidad para aquellas tareas que, aunque relativamente rutinarias, requieren procedimientos específicos para cada coche en cuestión. De nuevo, Tech proporciona ilustraciones técnicas y, cuando es necesario, números de referencia que identifican herramientas especiales. De esta manera, Tech ayuda a aumentar la productividad y a mejorar el flujo del taller.

CARACTERÍSTICAS	Car SET	Truck SET
Correa de distribución: extracción/instalación	✓	
Cadena de distribución: extracción/instalación	✓	
Correa de transmisión auxiliar: extracción/instalación	✓	
Embrague: extracción/instalación	✓	✓
Transmisión manual: extracción/instalación	✓	
Sistema de refrigeración: drenar/rellenar	✓	
Filtro particulado diésel	✓	✓
Procedimiento de la batería	✓	
Comprobar el nivel de líquido transmisión (semi) automática y drenar/rellenar	✓	✓
Sistema de control de presión de neumáticos (TPMS)		✓
Holguras de válvula		✓
Inyector: extracción/instalación		✓

HaynesPro WorkshopData™

A4 /A4 Allroad (8K) 2.0 TD (CAHA) 2008 - 2012

Estimate 0.00

Timing belt: removal/installation

Parts required 8

Warnings and recommendations

Unless otherwise advised by the manufacturer, the following procedures are recommended:

Always fit a new timing belt after removal

Coolant pump renewal is recommended after timing belt removal

Check the tensioner and idler pulleys; renew if necessary

Removal

Disconnect the battery

Battery: procedures for disconnection/reconnection

Remove the engine lower cover

Vehicles with additional heater

Steering

Power steering fluid VW G 004 000

(- 03/2012)

Refrigerant R134a

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

Steering

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

Denso, (6SES14), (03/2012 -)

Compressor oil VW G 052 300 A2

Air-conditioning compressor oil 110 ± 10 (ml)

HaynesPro

All trademarks names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners.

Version: 7.4.5-RC3

Copyright © 2013 Haynes Publishing Group



TIEMPOS DE REPARACIÓN

Un marco de tiempo más realista.

HaynesPro amplía los tiempos de reparación oficiales (OEM) y da cabida a más tareas relacionadas. De esta forma, los datos obtenidos son más prácticos y realistas. El módulo contiene numerosas tareas incluidas para el cálculo de superposiciones. Mediante una lista de tareas de seguimiento, nos aseguramos de no pasar por alto el tiempo de mano de obra. Esto ayuda a maximizar los ingresos del taller.

CARACTERÍSTICAS	Car SET	Truck SET
Tecnología de superposición	✓	✓
Tiempos específicos y genéricos	✓	✓
Trabajo secuencial	✓	✓
Enlaces a componentes	✓	✓

CarsTrucksOrganiserSettings

HaynesProWorkshopData™

A4 /A4 Allroad (BQ) 2.0 TD (CAHA) 2008 - 2012Estimate GBP 101.00

Back to overview

Repair Times

Print

Total repair times

JOB#2

TOTAL TIME (H)7.10

PARTS REQUIRED3

Hide details

Add to work order

Jobs

Renew the timing belt kit and the coolant pump4.10

FOLLOW UP

Renew the crankshaft front radial seal3.00

Parts required

Water pump & timing belt set128.501.00

Tensioner, timing chain0.001.00

Shaft seal, crankshaft16.501.00

Fuel system

Exhaust system

Gearbox

Automatic transmission

Drivetrain

Electrical components

Steering

Front axle

Front suspension

Rear axle

Rear suspension

Wheels and tyres

Petrols

Brakes (Mechanical)

Brakes (Electric)

Cylinder head

Flywheel/flexplate

Plywheel

Crankshaft

Valve cover

Valve

Timing

1B01515000 Remove/refit the upper timing cover0.20

FOLLOW UP

1B01541910 Repair the timing belt cover+0.10

1B01516000 Renew the upper timing cover0.20

FOLLOW UP

1B01541910 Repair the timing belt cover+0.10

1B01541800 Check the timing belt cover; clean if necessary0.10

1B01541910 Repair the timing belt cover0.10

1B02001000 Check the timing belt condition and tension0.40

FOLLOW UP

1B02003100 Renew the timing belt

FOLLOW UP

1D04003000 Renew the coolant pump

1B02002400 Remove/refit the timing belt cover

INCLUDED

Clean sealing surface(s)

INCLUDED

Remove/refit water pump

INCLUDED

Drain/fill/check level of coolant

INCLUDED

Remove/refit right timing belt tensioner roller

INCLUDED

Remove/refit left timing belt tensioner roller

INCLUDED

Remove/refit engine timing belt tensioner pulley

INCLUDED

Remove/refit engine timing toothed belt

INCLUDED

Remove/refit lower timing belt cover

INCLUDED

Remove/refit upper toothed belt cover

INCLUDED

Remove/refit crankshaft vibration damper

INCLUDED

Remove/refit drive belt

INCLUDED

Loosen/tighten front lock carrier

INCLUDED

Remove/refit lower engine cover

INCLUDED

Remove/refit upper engine cover

FOLLOW UP

1A20032000 Renew the crankshaft front radial seal+3.00

1B02002500 Renew the timing belt kit3.20

FOLLOW UP

1A20032000 Renew the crankshaft front radial seal+3.00

1B02003000 Remove/refit the timing belt2.90

FOLLOW UP

1D04003000 Renew the coolant pump+3.80

FOLLOW UP

1A20032000 Renew the crankshaft front radial seal+3.00

1B02003100 Renew the timing belt+2.90

FOLLOW UP

1D04003000 Renew the coolant pump+3.80

FOLLOW UP

1A20032000 Renew the crankshaft front radial seal+3.00

1B02005900 Remove/refit the timing belt tensioner pulley3.00

FOLLOW UP

1B02003100 Renew the timing belt+2.90

1B02006000 Renew the timing belt tensioner pulley3.00

Característica general

HaynesPro WorkshopData™

A4 /A4 Allroad (8K) 2.0 TDI (CAHA) 2008 - 2012 Estimate GBP 691.00

Cost estimate

Jobs

	Rate (GBP)	Time (h)	Total (GBP)
Time/distance dependent service, (~ 2009) Every 80,000 km/72 months	65.00	1.30	84.50
Renew the timing belt kit and the coolant pump	65.00	4.10	266.50
FOLLOW UP Renew the crankshaft front radial seal	65.00	3.00	195.00
Time margin 0.0 %		Total Time 8.40 (h)	
Subtotal			GBP 546.00

Parts may be required Repair Manuals Technical Drawings Lubricants and Fluids Adjustment Data

Parts

	Unit Price (GBP)	Quantity	Price (GBP)
Engine oil	0.00	1.00	0.00
Oil filter	0.00	1.00	0.00
Shaft seal, crankshaft	16.50	1.00	16.50
Water pump & timing belt set	128.5	1.00	128.50
Subtotal			GBP 145.00

Grand Total GBP 691.00
VAT Rate 21.00 %
VAT GBP 145.11
Grand Total with VAT GBP 836.11

Reset Save

HaynesPro All trademark names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners. Version: 7.4.0-RC3

CÁLCULO DE COSTES

Este es el punto de partida para obtener un cálculo rápido mediante enlaces inteligentes que combinan datos, tiempos de reparación y componentes. El resultado puede exportarse sin problema e incorporarse en el flujo de trabajo del pedido de piezas.

Las características y las funciones más destacadas:

- Vista general que combina las reparaciones y el mantenimiento seleccionados
- Posibilidad de añadir trabajos y piezas manualmente
- Función de exportación muy sencilla

PLANOS TÉCNICOS

Más de **100,000** planos técnicos de excelente calidad

Una imagen vale más que mil palabras. HaynesPro dispone de más de 100.000 planos técnicos de gran calidad en su base de datos. Más que imágenes genéricas, se trata de ilustraciones a medida con piezas destacadas para facilitar su identificación y la opción de ser redirigido directamente al carrito de la compra de un catálogo de piezas. Los pares de apriete se indican en el plano para garantizar que se utilice el par de apriete correcto para el tornillo/tuerca especificados. También contiene notificaciones sobre los tornillos/tuercas que deben renovarse y en los que debe utilizarse un compuesto bloqueador.

CARACTERÍSTICAS	Car SET	Truck SET
Enlaces a componentes	✓	✓
Pares de apriete	✓	✓

Brake, components, front, exploded view

Rear disc brakes, (CII 43)

Brake, components, rear, exploded view

(Manual transmission), (OB1, 002)

Gear-shift lever assembly

Gearbox mount

Differential

Propeller shaft

Rear differential, (0BC), (4WD)

Differential

(2WD)

Subframe, front

Suspension, front

Subframe, rear

Suspension, rear

Shock absorber, rear

(4WD)

Subframe, front

Suspension, front

Subframe, rear

Suspension, rear

Shock absorber, rear

(Estate, Saloon)

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

Power steering rack

Electronic power steering rack

Air conditioning

Air conditioning, components

(- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

(Allroad), (- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear


Steering column

Power steering rack

Electronic power steering rack


(Convertible)

Steering column




14 Nm

Parts required 1




25 Nm 49 Nm 14 Nm 5 Nm 25 Nm 49 Nm

Parts required 4




8 Nm 20 Nm 8 Nm 20 Nm 20 Nm 8 Nm



95 Nm 95 Nm 55 Nm 55 Nm 20 Nm

(2WD)



20 Nm 20 Nm 20 Nm 9 Nm 9 Nm 115 Nm + 90°

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

Power steering rack

Electronic power steering rack

Air conditioning

Air conditioning, components

(- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

(Allroad), (- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

Power steering rack

Electronic power steering rack

Air conditioning

Air conditioning, components

(- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

Power steering rack

Electronic power steering rack

Air conditioning

Air conditioning, components

(- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

(Allroad), (- 2012)

Seat belts, front

Seat belts, rear


Bumper, removal, front

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack




■ Renew bolts/nuts

Parts required 6

Show

Front disc brakes, (FN3)

Print




■ Renew bolts/nuts

Parts required 6

Show

Print



Campañas de reparación de los fabricantes (recalls)



CAMPAÑAS DE REPARACIÓN DE LOS FABRICANTES (RECALLS)

Mantener el cliente al día de los posibles recalls garantiza que el vehículo cumple las normas de seguridad.

Ayudando a garantizar que el vehículo cumpla con las normas de seguridad, HaynesPro Tech también incorpora datos de campañas oficiales de reparación de los fabricantes (recalls).

CARACTERÍSTICAS

Car
SET

Truck
SET

Llamados a revisión de seguridad publicados por OEM



Enlace a códigos de error y casos relacionados



SmartPACK™

Filter results:

- Vehicle area: [dropdown]
- Noise: [dropdown]
- Operating condition: [dropdown]
- Fault code: [dropdown]
- Defect: [dropdown]

Sort results: [dropdown] (Most recent data first)

Overview

Maintenance

Repair Data

Electronics

SmartPACK™ 77

Recall data: 4

Technical Service Bulletins: 56

Recall data:

- Airbag deployment failure (05/12/2014, WAUZZZ8K*DA000698 - WUAZZZ8K*DA902932, 01/11/2011 - 15/10/2014, OE: R/2014/146 (69K3))
- Airbag deployment failure (05/12/2014, WAUZZZ8K*FA000781 - WUAZZZ8K*FA900814, 01/11/2011 - 15/10/2014, OE: R/2014/146 (69K3))
- Airbag deployment failure (05/12/2014, WAUZZZ8K*EA000867 - WUAZZZ8K*EA902051, 01/11/2011 - 15/10/2014, OE: R/2014/146 (69K3))
- Reduced braking efficiency (01/10/2014, WAUZZZ8K*DA045573 - WUAZZZ8K*DA178051, 01/01/2012 - 27/08/2014, OE: R/2014/008 (47L8))

Reduced braking efficiency

01/10/2014 R/2014/008 (47L8) VIN # - WAUZZZ8K*DA178051 WUAZZZ8K*DA045573 Date 2012-01-01 - 2014-08-27

Defect

Engine oil leakage into the brake servo via the vacuum feed line; Damaged brake servo diaphragm; Increased brake pedal effort

Solution

Renew the vacuum line

Disclaimer

The recall bulletins are provided for information purposes only. The customer should be directed to the appropriate franchised dealer for rectification of the issues identified in the Safety Recall notice. This ensures that the repair is fully carried out in accordance with the provisions of the Safety Recall notice and any updated provisions thereof. It will also ensure that both the manufacturer's database (the list of affected vehicles) and the country-specific licensing agency are informed that the recall has been actioned.

Clearly better data.

HaynesPro B.V.
Flankement 6
3831 SM Leusden
Países Bajos

Tel: +31 (35) 603 6270
Correo electrónico: sales@haynespro.com
Sitio web: www.haynespro.com

HaynesPro®

HaynesPro is a member of the Haynes Publishing Group

